

## LAMPIRAN

### ❖ Hasil *Output* Uji Statistik Deskriptif

#### Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation
belanja daerah	75	514.634.512.257	3.517.904.364.388	1.344.098.760.320,20	665.964.626.187,429
pendapatan asli daerah	75	18.948.546.962	781.413.947.765	117.180.201.619,55	156.577.861.526,066
dana alokasi umum	75	131.033.381.000	1.292.124.896.000	579.555.728.706,67	238.331.817.177,378
Valid N (listwise)	75				

### ❖ Hasil Uji Normalitas

#### *Uji Statistik One-Sample Kolmogorov Smirnov*


#### One-Sample Kolmogorov-Smirnov Test

		Unstandardized Residual
N		75
Normal Parameters <sup>a,b</sup>	Mean	0E-7
	Std. Deviation	,25631471
	Absolute	,082
	Most Extreme Differences	
	Positive	,082
	Negative	-,062
Kolmogorov-Smirnov Z		,710
Asymp. Sig. (2-tailed)		,695

a. Test distribution is Normal.

b. Calculated from data.

#### *Analisis Grafik Normal Probability Plot*




❖ **Hasil Uji Multikolinearitas**

**Coefficients<sup>a</sup>**

Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
	B	Std. Error	Beta			Tolerance	VIF
(Constant)	13,317	2,016		6,607	,000		
1 Ln_X1	,415	,044	,747	9,379	,000	,678	1,474
Ln_X2	,152	,090	,135	1,691	,095	,678	1,474

a. Dependent Variable: Ln\_Y

❖ **Hasil Uji Heterokedastisitas**



❖ **Hasil Uji Autokorelasi**

**Model Summary<sup>b</sup>**

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Durbin-Watson
1	,831 <sup>a</sup>	,690	,682	,25985	,693

a. Predictors: (Constant), Ln\_X2, Ln\_X1

b. Dependent Variable: Ln\_Y

❖ **Hasil Analisis Regresi Linear Berganda**

**Coefficients<sup>a</sup>**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	13,317	2,016		6,607	,000
	Ln_X1	,415	,044	,747	9,379	,000
	Ln_X2	,152	,090	,135	1,691	,095

a. Dependent Variable: Ln\_Y

❖ **Hasil *R Square* ( $R^2$ )**

**Model Summary**

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	,831 <sup>a</sup>	,690	,682	,25985

a. Predictors: (Constant), Ln\_X2, Ln\_X1

❖ **Hasil Uji Signifikansi Parsial (t)**

**Coefficients<sup>a</sup>**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	13,317	2,016		6,607	,000
	Ln_X1	,415	,044	,747	9,379	,000
	Ln_X2	,152	,090	,135	1,691	,095

a. Dependent Variable: Ln\_Y

❖ **Uji Statistik F**

**ANOVA<sup>a</sup>**

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	10,830	2	5,415	80,194	,000 <sup>b</sup>
	Residual	4,862	72	,068		
	Total	15,691	74			

a. Dependent Variable: Ln\_Y

b. Predictors: (Constant), Ln\_X2, Ln\_X1